

Thermal Processing for SAP. Robust. Clean. Efficient.




High Capacity Designs for Advanced Material Handling.

With more than 40 years of manufacturing and production experience, and installations with every major global producer, Bühler has a successful history in SAP production. We provide reliable systems that consistently produce the highest quality super absorbent polymers for personal hygiene products, medial, agricultural, and mining applications.

Bühler supplies the largest SAP dryers in the world, with systems that produce more than 80,000 tons/year on a single line. We're also the only manufacturer to supply multiple 4.4 meter-wide systems.

Size is not the only measure though, AeroDry's advanced air management offers the highest productivity per square meter available.

For fastest install and start up, AeroDry's modular construction technique provides for pre-assembly of critical components. Modular construction results in a much stronger structure for critical SAP handling devices in the discarge end, and precise conveyor alignment over the entire length of the dryer, reducing chain wear and maintenance own time, as well as increasing equipment life.



Heavy-Duty Construction.

AeroDry's reinforced, walk-on roof platform serves as a structural element, as well as a thermal barrier, while the heavygauge doors provide an air tight seal around the dryer, preventing air leakage and thermal loss.



Reinforced Conveyor System.

The conveyor's reinforced roller chainrides on a self-cleaning rail, ensuring clean, positive conveyor travel and tracking down the entire length of dryer. A controllable chain lubrication system enables precise lubricant application without the fear of product contamination resulting from over oiling. A heavy duty, reinforced dual drive system drives the conveyor from both sides, ensuring precise and uniform chain loading on even the longest dryers.




Designed for Clean Operation.

An easy-to-clean design ensures access to both sides of the floor, conveyor and fan spaces for cleaning; easily accesible sliding filters provide protection from fines fouling the coils; a smooth interior discarge end minimizes product build-up and ensures maximum access to rotating equipment like doffers and breakers; and a scraper for the conveyor allows for continuous cleaning during operation. These features and more combine to maxmize process uptime.

Efficient and innovative peripherals.

Optimizing the process.







Circulation fans.

Direct drive, variable speed circulation fans provide the needed airflow throughout the process zone. These fans provide greater energy efficiency and less maintenance than pulley driven fans.

2



Conveyor chain.

Built to withstand the rigors of extended use in harsh environments, our conveyor chains keep the product moving reliably through the process zones.

3




Conveyor bedplates.

Perforated metal interlocking or pinless slip hinge bedplates deliver consistent performance, while a deep truss arrangement ensures heavy loading capability.







Picker.

For applications requiring aggressive handling, specially designed rotating pickers can be added to loosen the product on the conveyor.

5



Doffer.

An optional rotating doffer is positioned at the dryer discharge to assist in releasing product from the bedplates, making sure it stays in the product stream, and keeping the dryer efficiency high.

6



Rotating tine breaker.

A heavy duty reinforced rotating blade and tine breaker system provides initial product size reduction, reducing particulate to a consistent size for more efficient postdrying precision milling.

Designed to Maximize Production.

Worry-free for the long term.



Oscillating Belt Feeder for Precision Control.

The AeroDry SAP thermal processing systems can be fitted with a heavy-duty oscillating belt feeder to load the dryer downstream of gel reactors and cutters. A precision control system ensures uniform conveyor loading and maximizes the overall consistency of the polymer's final moisture content.




Material Handling Designs Available to Process a Wide Range of Polymers.

Conveying system and material handling devices are selectable to compliment a wide range of super absorbent polymers (SAP) and flocculents. Slide out cartridge style breaker design allows ease of cleaning and maintenance.



Process Knowledge and Testing Capabilities.

Our process engineers have access to decades of testing experience that they can bring to bear for your product. Application centers are strategically placed around the globe for easy access to customer sites. Test equipment models full-size dryers to determine drying characteristics, and additional test capabilities analyze polymerization, cross-linking, and residual monomers. Pilot drying data is compared with data measured by Bühler technicians on full-scale dryers for debottlenecking and optimization.



Energy Recovery.

Drying of SAP is an energy intensive process. Buhler offers a number of energy recovery options to help minimize operating costs and to help our customers achieve their sustainability objectives. Cascade air flow concepts, exhaust recovery, condensate and flash steam utilization are evaluated for feasibility on each project.



Global Presence, Local Support.

Twenty-four hour support draws from the expertise of more than 1,200 field engineers around the world. Bühler conducts field evaluations for drying processes, mechanical performance, and energy optimization. It also offer parts, retrofits, and expansion support regardless of the dryer make or model.



Processing Education and Training.

Bühler knows the drying step like no other. Specialized seminars help processors learn the theory of drying and how to apply it, to ensure product yield and profit margins. Customers frequently discover opportunities to improve processing operations and maximize uptime and productivity.

Built in sustainability for new and existing dryers. **Products and services that support your sustainability iniatives.**

As the world's leading provider of thermal process technologies, we believe we have a responsibility – and an opportunity – to impact our customers' sustainability initiatives. Drying is resource-intensive, but it allows us to develop tailored solutions to reduce CO_2e emissions, greenhouse gases, energy costs, and waste. Knowing each process is unique, we use proven technologies to fit your specific application. To improve your organization's ecological footprint, we offer services to determine the best solutions and monitor your efforts to ensure your investments perform as expected and hit your targets. Your success is our goal.

Heat recovery

Installing a heat recovery system enables the use of air to air and fluid loop heat exchangers on our conveyor dryers, a proven energy saving technology resulting in **20% energy use reduction.**

Electrification and alternative fuels

Replacing burners or fluid-heated coils with electric heaters enables **full decarbonization**, as well as increased safety and hygiene.

Heat pumps

Using a heat pump and coil loop to preheat make up air, along with pulling waste heat from the dryer exhaust, can provide **energy savings of up 30%**, and increase decarbonization by reducing dependency on other fuels.

Analysis/ROI/Option Matrix

Provides you with an analysis of your needs and data around Capex, Opex, ROI and CO2e quantification based on your specific conditions, local energy costs, and availability of alternative energy sources.

Digital Services

Bühler Insights is our central platform for connected products and services, optimizing your plant's efficiency by reducing energy consumption and waste.

Energy and CO₂e audits, and dryer evaluations

An audit of your dryer's current energy usage and recommendations for optimization or heat conversions. A process evaluation will ensure optimal parameters are used and identify opportunities for upgrades or improvements.



Bühler

100 Aeroglide Drive Cary, NC 27511 USA

T +1 919 851 2000 F +1 919 851 6029

info.dryingsolutions@buhlergroup.combuhlergroup.com/drying